



Home > Equipment > Mini Skid Steers > S450TX

S450TX Specs

General Dimensions and Weights		
Design	Stand-on / track-drive	
Length with Standard Bucket	95.4"	242.3 cm
Length without Standard Bucket	75.4"	191.5 cm
Width with Standard Bucket	42"	106.7 cm
Width Without Standard Bucket	35.8"	90.8 cm
Height	53.4"	135.6 cm
Height (to Hinge Pin)	72"	182.9 cm
Ground Clearance	6.5"	16.5 cm
Weight (Standard Bucket, Gas Engine)	2250 lbs	1020.6 kg
Weight (Standard Bucket, Diesel Engine)	2430 lbs	1102.2 kg
Weight (No Bucket, Gas Engine)	2120 lbs	961.6 kg
Weight (No Bucket, Diesel Engine)	2300 lbs	1043.3 kg

Engine Option One		
Make and Model	Kubota D902	
Fuel Type	Diesel	
Fuel Tank Capacity	7.5 gal	28.4 L
Gross Horsepower	24.8 hp	18.5 kw

Cooling System	Liquid	
Maximum Angle of Inclination	30 deg	

Engine Option Two		
Make and Model	Kohler Command PRO EFI ECH740	
Fuel Type	Gasoline	
Fuel Tank Capacity	7.5 gal	28.4 L
Gross Horsepower	25 hp	18.6 kw
Cooling System	Air	

Track Performance		
Rated Operating Capacity (SAE)	500 lbs	226.8 kg
Tipping Capacity (With 175 lb (79.38 kg) operator)	1430 lbs	648.6 kg
Travel Speed	3.5 mph	5.6 km/h
Ground Pressure (Narrow Tracks)	3.4 psi	23.4 kPa
Ground Pressure (Wide Tracks)	2.7 psi	18.6 kPa

Operational		
Steering	Single, pilot operated joystick	
Lift	Single, pilot-operated joystick	
Curl	Single, pilot-operated joystick	

Hydraulic System		
Hydraulic System Flow	12.5 gpm	47.3 L/min
Hydraulic System Pressure	2950 psi	203.4 bar
Tank capacity	8 gal	30.3 L

ATTACHMENTS

Copyright © 2010-2015. Vermeer Corporation. All Rights Reserved.

www.vermeer.com